Ĺ	Hits	Search Text	DB	Time stamp
Number	72	(("(5734828") or ("6021262") or ("5819272")	USPAT;	2002/07/12
		or ("5961610") or ("6226644") or	US-PGPUB:	07:14
		("6226644") or ("6292830") or ("5915113")	EPO; JPO	
		or ("5926481") or ("4949248") or	,	
		("5568616") or ("6233620") or ("6292933")		
		or ("6304893") or ("6336135") or		
	٠	("5636376") or ("5675798") or ("5539909")		
		or ("5890163") or ("5973696") or		
		("6035343") or ("6282702") or ("5944783")		
		or ("5918039") or ("5313581") or		
		("5408602") or ("6253193") or ("6226659")		
		or ("6226659") or ("5828840") or		
		("6163797") or ("5793970") or ("6052710")		
		or ("5509010") or ("5831612") or		
		("5950002") or ("5555396") or ("5781530")		
		or ("5446898") or ("5465357") or		
		("5481709") or ("5495611") or ("5864669")		
		or ("6065041") or ("5940075") or		
		("5293619") or ("5634010") or ("5802514")		
		or ("5812779") or ("5963202)")).PN.		0000/00/00
•	0	((("(5734828") or ("6021262") or ("5819272")	USPAT;	2002/02/08
		or ("5961610") or ("6226644") or	US-PGPUB;	14:43
		("6226644") or ("6292830") or ("5915113")	EPO; JPO	
		or ("5926481") or ("4949248") or		
		("5568616") or ("6233620") or ("6292933")		
		or ("6304893") or ("6336135") or		
		("5636376") or ("5675798") or ("5539909")		
		or ("5890163") or ("5973696") or		
		("6035343") or ("6282702") or ("5944783")		
		or ("5918039") or ("5313581") or		
		("5408602") or ("6253193") or ("6226659")		
		or ("6226659") or ("5828840") or		
		("6163797") or ("5793970") or ("6052710")		
		or ("5509010") or ("5831612") or		
		("5950002") or ("5555396") or ("5781530")		
		or ("5446898") or ("5465357") or		
		("5481709") or ("5495611") or ("5864669")		
		or ("6065041") or ("5940075") or		
		("5293619") or ("5634010") or ("5802514")		
		or ("5812779") or ("5963202)")).PN.) and		
		(client adj processing) and (definition and		
		(state adj change) and command) and		
		message		
-	467698	definition or (state adj change) or command	USPAT;	2002/02/08
			US-PGPUB;	14:46
			EPO; JPO	
-	2846	message adj processing	USPAT;	2002/02/08
			US-PGPUB;	14:46
			EPO; JPO	

m

-	21150	client and server	USPAT;	2002/02/08
			_US-PGPUB; -	-14:46
			EPO; JPO	
-	340	(definition or (state adj change) or	USPAT;	2002/07/13
		command) and (message adj processing)	US-PGPUB;	10:08
		and (client and server)	EPO; JPO	
-	2	(((definition or (state adj change) or	USPAT;	2002/02/08
		command) and (message adj processing)	US-PGPUB;	14:51
		and (client and server)) and application)	EPO; JPO	
		and (receiv\$ adj message) and (remote adj		
		device)		
_	325	((definition or (state adj change) or	USPAT;	2002/02/08
		command) and (message adj processing)	US PGPUB;	15:15
		and (client and server)) and application	EPO; JPO	
_	238	header and definition? and (state adj	USPAT;	2002/02/15
		change?) and command?	US-PGPUB;	14:38
			EPO; JPO	
_	11	(((definition or (state adj change) or	USPAT;	2002/02/14
		command) and (message adj processing)	US-PGPUB;	15:26
		and (client and server)) and application)	EPO; JPO	15.25
		and (header and definition? and (state adj	0, 0. 0	
		change?) and command?)		
_	327	(definition or (state adj change) or	USPAT;	2002/02/15
	32.	command) and (message adj processing)	US-PGPUB;	14:32
		and (client and server) and application	EPO; JPO	14102
_	29	((definition or (state adj change) or	USPAT;	2002/02/15
		command) and (message adj processing)	US-PGPUB;	14:32
		and (client and server) and application ) and	EPO; JPO	14.02
		709/219		
	6889	gui	USPAT;	2002/02/15
		<b>9</b>	US-PGPUB;	14:32
			EPO; JPO	14.62
_	327	(definition or (state adj change) or	USPAT;	2002/02/15
	]	command) and (message adj processing)	US-PGPUB;	14:37
		and (client and server) and application	EPO; JPO	
-	21312	client and server	USPAT;	2002/02/17
			US-PGPUB;	16:37
			EPO; JPO	
_	76	gui and ((definition or (state adj change) or	USPAT;	2002/02/15
		command) and (message adj processing)	US-PGPUB;	14:39
		and (client and server) and application ) and	EPO; JPO	. 4100
		(client and server)	0, 0. 0	
_	1660	(definition or (state adj change) or	USPAT;	2002/02/15
		command) and (message adj processing)	US-PGPUB;	14:50
		command, and timessage adj processing)	EPO; JPO	17.50
_	239	header and definition? and (state adj	USPAT;	2002/02/15
-	239	change?) and command?	US-PGPUB;	14:38
		Change i j and Communici		17.50
_	23	gui and (hoador and definition? and (atata	EPO; JPO	2002/02/45
_	23	gui and (header and definition? and (state adj change?) and command?) and (client	USPAT;	2002/02/15
		and server) and (header and definition? and	US-PGPUB;	14:44
			EPO; JPO	
	<u> </u>	(state adj change?) and command?)	<u> </u>	

				_	
-		232495	arc	USPAT;	-2002/02/17
				US-PGPUB;	16:37
	ļ			EPO; JPO	
-		1	(gui and (header and definition? and (state	USPAT;	2002/02/15
			adj change?) and command?) and (client	US-PGPUB;	15:11
			and server) and (header and definition? and	EPO; JPO	
			(state adj change?) and command?)) and		
			arc		
-		83	(definition and (state adj change) and	USPAT;	2002/02/15
			command) and (message adj processing)	US-PGPUB,	15:11
			, , ,	EPO; JPO	
١.		2	(("6088717") or ("6044205")).PN.	USPAT;	2002/02/15
		_	((	US-PGPUB;	14:58
				EPO; JPO	
_		2	((definition and (state adj change) and	USPAT;	2002/02/15
		_	command) and (message adj processing))	US-PGPUB;	15:11
			and 709/219	EPO; JPO	
_		232495	arc	USPAT;	2002/02/17
				US-PGPUB;	16:37
				EPO; JPO	
_		21312	client and server	USPAT;	2002/02/17
				US-PGPUB;	16:37
				EPO; JPO	
١.		377	arc and (client and server)	USPAT;	2002/02/17
			are and (enour and correr)	US-PGPUB;	16:43
				EPO; JPO	
١.		5	message with (header and definition and	USPAT;	2002/02/17
			(state adj change) and command)	US-PGPUB;	16:40
			(otato au) onango, ana oommana,	EPO; JPO	
_		14	(arc and (client and server)) and (remote	USPAT;	2002/02/17
1			adj device)	US-PGPUB;	16:44
				EPO; JPO	
١.		1	("6212560").PN.	USPAT;	2002/07/11
		-	( 02 12000 ) ki	US-PGPUB;	13:43
				EPO; JPO	
_		1	("6044382").PN.	USPAT;	2002/07/11
		-	( 55-1552 ) 14.	US-PGPUB;	13:44
				EPO; JPO	
_		30	("4591662"   "4598171"   "4689478"	USPAT	2002/07/12
			"4776016"   "4813013"   "4835372"		15:04
			"4851999"   "4858121"   "4860342"		
			"4937439"   "4972462"   "4984155"		
			"4991199"   "5008927"   "5047960"		
			"5189632"   "5195086"   "5195130"		
			"5204813"   "5278751"   "5301105"		
			"5333266"   "5351076"   "5365577"		
			"5410646"   "5416831"   "5572421"		
			"5704029"   "5757655"   "5805676").PN.		
.		0	(("6212560").PN.) and message and form	USPAT;	2002/07/11
			and before and command and definition and	US-PGPUB;	13:46
			key and menu and button and GUI	EPO; JPO	
L.		L			

F <b>-</b>	·0-	-(("4591662"   "4598171"-  "4689478"	USPAT;	2002/07/11
		"4776016"   "4813013"   "4835372"	US-PGPUB;	13:46
		"4851999"   "4858121"   "4860342"	EPO; JPO	
		"4937439"   "4972462"   "4984155"		
		"4991199"   "5008927"   "5047960"		
		"5189632"   "5195086"   "5195130"		
		"5204813"   "5278751"   "5301105"		
		"5333266"   "5351076"   "5365577"	İ	
		"5410646"   "5416831"   "5572421"		
		"5704029"   "5757655"   "5805676").PN.)		
		and message and form and before and		
-		command and definition and key and menu		
		and button and GUI		
_	1	(("4591662"   "4598171"   "4689478"	USPAT;	2002/07/11
		"4776016"   "4813013"   "4835372"	US-PGPUB:	14:00
		"4851999"   "4858121"   "4860342"	EPO: JPO	
		"4937439"   "4972462"   "4984155"	,	
		"4991199"   "5008927"   "5047960"		
·		"5189632"   "5195086"   "5195130"		
		"5204813"   "5278751"   "5301105"		
		"5333266"   "5351076"   "5365577"		
		"5410646"   "5416831"   "5572421"		
		"5704029"   "5757655"   "5805676").PN.)		
		and message and form and before and		
		command and definition and key and menu		
_	30	("4591662"   "4598171"   "4689478"	USPAT	2002/07/11
		"4776016"   "4813013"   "4835372"		13:49
		"4851999"   "4858121"   "4860342"		
		"4937439"   "4972462"   "4984155"		
		"4991199"   "5008927"   "5047960"		
		"5189632"   "5195086"   "5195130"		
		"5204813"   "5278751"   "5301105"	:	
		"5333266"   "5351076"   "5365577"		
		"5410646"   "5416831"   "5572421"		
		"5704029"   "5757655"   "5805676").PN.		
<u>-</u>	1	(("4591662"   "4598171"   "4689478"	USPAT;	2002/07/11
	_	"4776016"   "4813013"   "4835372"	US-PGPUB;	14:01
		"4851999"   "4858121"   "4860342"	EPO; JPO	14.01
		"4937439"   "4972462"   "4984155"		
		"4991199"   "5008927"   "5047960"		
		"5189632"   "5195086"   "5195130"		
		"5204813"   "5278751"   "5301105"		
		"5333266"   "5351076"   "5365577"		
		"5410646"   "5416831"   "5572421"		
		"5704029"   "5757655"   "5805676").PN.)		
		and message and form and before and		
		command and definition and key and menu		
·	I	and actinition and hey and mella	<del></del>	l

	1	(("4591662"   "4598171"   "4689478"	USPAT;	-2002/07/11
		"4776016"   "4813013"   "4835372"	US-PGPUB;	14:01
		"4851999"   "4858121"   "4860342"	EPO; JPO	
		"4937439"   "4972462"   "4984155"		
		"4991199"   "5008927"   "5047960"		
		"5189632"   "5195086"   "5195130"		
	1	"5204813"   "5278751"   "5301105"		
		"5333266"   "5351076"   "5365577"		
		"5410646"   "5416831"   "5572421"		
		"5704029"   "5757655"   "5805676").PN.)		
		and message and form and command and		
		definition and key and menu		:
_	3	(("4591662"   "4598171"   "4689478"	USPAT;	2002/07/11
		"4776016"   "4813013"   "4835372"	US-PGPUB;	14:42
		"4851999"   "4858121"   "4860342"	EPO; JPO	
		"4937439"   "4972462"   "4984155"		
		"4991199"   "5008927"   "5047960"		
		"5189632"   "5195086"   "5195130"		
		"5204813"   "5278751"   "5301105"		
		"5333266"   "5351076"   "5365577"		
		"5410646"   "5416831"   "5572421"		
		"5704029"   "5757655"   "5805676").PN.)		
		and message and form and command and		
		and message and form and command and definition and menu		
	2500	709/219	HEDAT.	2002/07/11
] -	2566	709/219	USPAT;	
			US-PGPUB;	14:42
	42070	(	EPO; JPO	2002/07/42
-	13078	(process\$3 or creat\$3) near2 form and	USPAT;	2002/07/12
		command and definition and state and	US-PGPUB;	07:16
		messageand client and server and remote	EPO; JPO;	
			DERWENT;	
	0000	(4	IBM_TDB	2002/07/42
-	2031	((process\$3 or creat\$3) near2 form and	USPAT;	2002/07/12
		command and definition and state and	US-PGPUB;	07:17
		messageand client and server and remote)	EPO; JPO;	
		and GUI	DERWENT;	
			IBM_TDB	0000/07/10
-	1846	(((process\$3 or creat\$3) near2 form and	USPAT;	2002/07/12
		command and definition and state and	US-PGPUB;	07:17
		messageand client and server and remote)	EPO; JPO;	
		and GUI) and (prior or before)	DERWENT;	
			IBM_TDB	
-	465	((((process\$3 or creat\$3) near2 form and	USPAT;	2002/07/12
		command and definition and state and	US-PGPUB;	07:18
		messageand client and server and remote)	EPO; JPO;	
		and GUI) and (prior or before)) and	DERWENT;	
L.		(select\$3 near2 option)	IBM_TDB	

<b></b>	O-	-(((((process\$3-or-creat\$3)-near2-form-and-	USPAT;	2002/07/12
		command and definition and state and	US-PGPUB;	07:19
		messageand client and server and remote)	EPO; JPO;	
		and GUI) and (prior or before)) and	DERWENT;	
		(select\$3 near2 option)) and (send\$3 near2	IBM_TDB	
		message) and (recogniz\$3 near		
		dependence)		
•	249	(((((process\$3 or creat\$3) near2 form and	USPAT;	2002/07/12
		command and definition and state and	US-PGPUB;	07:19
		messageand client and server and remote)	EPO; JPO;	
		and GUI) and (prior or before)) and	DERWENT;	
		(select\$3 near2 option)) and (send\$3 near2	IBM_TDB	
		message)		
	201	((((((process\$3 or creat\$3) near2 form and	USPAT;	2002/07/12
		command and definition and state and	US-PGPUB;	07:21
		messageand client and server and remote)	EPO; JPO;	0
		and GUI) and (prior or before)) and	DERWENT;	
		(select\$3 near2 option)) and (send\$3 near2	IBM_TDB	
	,	message)) and (receiv\$3 near2 message)	10111_100	
_	161	(((((((process\$3 or creat\$3) near2 form and	USPAT;	2002/07/12
_	101	command and definition and state and	US-PGPUB;	07:21
		messageand client and server and remote)	EPO; JPO;	07:21
		and GUI) and (prior or before)) and	DERWENT;	
		(select\$3 near2 option)) and (send\$3 near2	IBM_TDB	
			IBM_IDB	
		message)) and (receiv\$3 near2 message))		
	23	and processor	LICDAT.	2002/07/42
•	23	((((((((process\$3 or creat\$3) near2 form and command and definition and state and	USPAT;	2002/07/12
			US-PGPUB;	08:37
		messageand client and server and remote)	EPO; JPO;	
		and GUI) and (prior or before)) and	DERWENT;	
		(select\$3 near2 option)) and (send\$3 near2	IBM_TDB	
		message)) and (receiv\$3 near2 message))		
	45	and processor) and (updat\$3 near2 state)		222/25/12
-	12	("4907283"   "4955066"   "4974191"	USPAT	2002/07/12
		"5530861"   "5544352"   "5598557"		08:13
		"5623406"   "5704060"   "5729730"		
		"5754712"   "5764906"   "5768578").PN.		
•	2	"12" and ((process\$3 or creat\$3) near2 form	USPAT;	2002/07/12
		and command and definition and state and	US-PGPUB;	08:37
		messageand client and server and remote)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	("12" and ((process\$3 or creat\$3) near2	USPAT;	2002/07/12
		form and command and definition and state	US-PGPUB;	08:38
		and messageand client and server and	EPO; JPO;	
		remote)) and ((process\$3 or creat\$3) near2	DERWENT;	
		form and command and definition and state	IBM_TDB	
		and messageand client and server and		
		remote)		

·- <u>-</u>	<b>2</b> -	("12" and ((process\$3 or creat\$3) near2	USPAT;	2002/07/12
_	-	form and command and definition and state	US-PGPUB;	08:39
		and messageand client and server and	EPO; JPO;	
		remote)) and (((process\$3 or creat\$3) near2	DERWENT;	
		form and command and definition and state	IBM_TDB	
		and messageand client and server and		
		remote) and GUI)		
_	o	("12" and ((process\$3 or creat\$3) near2	USPAT;	2002/07/12
		form and command and definition and state	US-PGPUB;	08:39
		and messageand client and server and	EPO; JPO;	
		remote)) and ((((process\$3 or creat\$3)	DERWENT;	
		near2 form and command and definition and	IBM_TDB	
		state and messageand client and server	_	
		and remote) and GUI) and (prior or before))		
-	23	((((((((process\$3 or creat\$3) near2 form	USPAT;	2002/07/12
		and command and definition and state and	US-PGPUB;	08:48
		messageand client and server and remote)	EPO; JPO;	
		and GUI) and (prior or before)) and	DERWENT;	
		(select\$3 near2 option)) and (send\$3 near2	IBM_TDB	
		message)) and (receiv\$3 near2 message))		
		and processor) and (updat\$3 near2 state))		
		and form		
-	2	((((((((process\$3 or creat\$3) near2 form	USPAT;	2002/07/12
		and command and definition and state and	US-PGPUB;	10:17
		messageand client and server and remote)	EPO; JPO;	
		and GUI) and (prior or before)) and	DERWENT;	
		(select\$3 near2 option)) and (send\$3 near2	IBM_TDB	
		message)) and (receiv\$3 near2 message))		
-		and processor) and (updat\$3 near2 state))		
		and 709/219		
-	62	definition and (state adj changes) and	USPAT;	2002/07/13
		command and client and server and GUI	US-PGPUB;	09:05
		and ((process\$3 or creat\$3) near2 form and	EPO; JPO;	
		command and definition and state and	DERWENT;	
Ì	_	messageand client and server and remote)	IBM_TDB	0000/07/40
-	7	(definition and (state adj changes) and	USPAT;	2002/07/12
		command and client and server and GUI	US-PGPUB;	10:39
		and ((process\$3 or creat\$3) near2 form and command and definition and state and	EPO; JPO;	
			DERWENT;	
		messageand client and server and remote))	IBM_TDB	
_	62	and 709/219	HEDAT:	2002/07/12
-	02	(definition and (state adj changes) and command and client and server and GUI	USPAT;	10:39
		and ((process\$3 or creat\$3) near2 form and	US-PGPUB;	10:39
		command and definition and state and	EPO; JPO; DERWENT;	
		messageand client and server and remote))	1	
		and form	IBM_TDB	
	3	(definition and (state adj changes) and	USPAT;	2002/07/12
-	•	command and client and server and GUI	US-PGPUB;	10:39
-		<del></del>	•	.0.00
-		and ((processas or creatas) neary torm and	FP()' .IP''	
-		_and_((process\$3_or_creat\$3)_near2_form.and command and definition and state and	_EPO;_JPO; DERWENT:	
-		_and_((process\$3_or_creat\$3)_near2_torm.and command and definition and state and messageand client and server and remote))	DERWENT; IBM_TDB	

			<u> </u>	
	12	_("4907283"   "4955066"   "4974191"	USPAT	-2002/07/12- <i>-</i>
		"5530861"   "5544352"   "5598557"		12:33
		"5623406"   "5704060"   "5729730"		
		"5754712"   "5764906"   "5768578").PN.	:	
-	14	instant adj text	USPAT	2002/07/12
				15:09
-	1142499	message with command or state or	USPAT	2002/07/12
		definition		15:10
-	2732	message with command and state and	USPAT	2002/07/12
		definition		15:10
-	354	(message with command and state and	USPAT	2002/07/12
1		definition) and client and server and		15:12
		(receiv\$3 near2 message) and (send\$3		
		near2 message)		
-	3	(((message with command and state and	USPAT;	2002/07/12
		definition) and client and server and	US-PGPUB;	15:14
		(receiv\$3 near2 message) and (send\$3	EPO; JPO;	
		near2 message)) and 709/219) and	DERWENT;	
		(process\$3 near2 definition)	IBM_TDB	
-	3	(((message with command and state and	USPAT;	2002/07/12
		definition) and client and server and	US-PGPUB;	15:14
		(receiv\$3 near2 message) and (send\$3	EPO; JPO;	
		near2 message)) and 709/219) and	DERWENT;	
		(process\$3 near2 definition) and form	IBM_TDB	
-	44	((message with command and state and	USPAT	2002/07/12
		definition) and client and server and		15:16
		(receiv\$3 near2 message) and (send\$3	ļ	
		near2 message)) and 709/219		
-	590	definition and state and changes and	USPAT;	2002/07/13
		command and client and server and GUI	US-PGPUB;	09:09
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	43	(definition and state and changes and	USPAT;	2002/07/13
		command and client and server and GUI )	US-PGPUB;	09:46
		and (creat\$3 near2 form) and (before or	EPO; JPO	
		prior)		
-	43	(definition and state and changes and	USPAT;	2002/07/13
		command and client and server and GUI )	US-PGPUB;	09:46
		and (creat\$3 near2 form) and (before or	EPO; JPO	
	L .	prior)		